# NTERCEPTOR Metal Detector



### **OVERVIEW:**

Interceptor metal detectors are custom manufactured to achieve superior results in challenging applications. The Interceptor uses a simultaneous multi-frequency operation that effectively processes the transmission and reception of multiple frequencies continuously over a broad spectrum. This revolutionary operation facilitates an improvement in detection capabilities of up to 100% with stainless steel, especially when inspecting traditionally difficult "wet" products.

The Interceptor is the result of continually refining the Simultaneous Multi-Frequency Technology that was initially developed and installed in 2009.

### THE FORTRESS ADVANTAGE:

- NEVER OBSOLETE Commitment: Fortress detectors are always supported with parts, service and upgrades.
- Modular design; have fewer components
- Outstanding Reliability
- Exceptional Performance
- Simple Operation
- Custom built detectors or stock sizes

# **KEY FEATURES:**

- Simultaneous Multi-Frequency Operation
- Broad Spectrum Frequency Transmission
- ARM Processors: Multiple Channel Signal Processing
- 100% Detection Sensitivity Increase
- Noise Immunity Structure
- Single Pass Product "Learn"
- Automatic Product Tracking
- Contact Reporter Software Included

# **APPLICATIONS:**

- Bakery
- Meats
- \_ .
- Dairy
- Prepared Meals
- Packaged Products
- Confectionery
- Fresh Foods

# **AVAILABLE OPTIONS:**

Automatic Testing System



Integrated Vector Conveyor Systems



Contact Communication Software




Diverseco has offices in every mainland state and territory.

We are proudly Australasian distributors, integrators, and service providers for Fortress Metal Detectors.





# NTERCEPTOR Metal Detector



# **DETECTOR OPTIONS & SPECIFICATIONS:**

Construc	ction	Stainless Steel
BSH Extr	ra-Rugged Casing	Vibration immunity and stability in heavy duty applications and harsh environments
Aperture	e Lining	Epoxy resin for heavy wash down or dry liner for wipe down applications
Rating		Stainless Steel: Nema 4X / IP69K
Remote /	Mounting	Display panel terminal can be mounted remotely (Up to 4000ft / 1,200m)
Network	Communications	Ethernet & WiFi via Contact Communications Software
Electrica	I	90-250v Single phase, 1 amp, 50-60Hz





# NTERCEPTOR® DF Metal Detector



We Take Food Safety Seriously -Making it our Mission to Prevent Metal Contaminants from Reaching Consumers' Dinner Tables

The Interceptor DF uses a simultaneous multi-frequency operation that effectively processes the transmission and reception of multiple frequencies continuously over a broad spectrum. This model was developed with a divergent field technology, which is the world's first metal detector to use multiple field directions. This greatly improves the detection of ultra-thin contaminants that are often encountered in processing lines. These innovative technologies facilitate a significant improvement in detection capabilities.

### **FEATURES**

- Divergent Field Technology
- Simultaneous Multi-Frequency Operation
- Broad Spectrum Frequency Transmission
- ARM Processors: Multiple Channel Signal Processing
- 100% Detection Sensitivity Increase
- Noise Immunity Structure
- Single Pass Product "Learn"
- Automatic Product Tracking
- Contact Reporter Software Included

#### **APPLICATIONS**


- Confectionery
- Chocolate Bars
- Bakery
- Packaged Meats
- Packaged Products
- Nutritional Bars

#### THE FORTRESS ADVANTAGE:

- "Never Obsolete" Commitment: detectors are always supported with parts and services
- Standard electronics configuration across product line allowing easy support and troubleshooting
- Modular design; have fewer components
- Custom built detectors or stock sizes
- Simple Operation, Outstanding Reliability, **Exceptional Performance**



# NTERCEPTOR® DF Metal Detector



### **DETECTOR OPTIONS & SPECIFICATIONS:**

Construction	Stainless Steel
BSH Extra-Rugged Casing	Vibration immunity and stability in heavy duty applications and harsh environments
Aperture Lining	Epoxy resin for heavy wash down or dry liner for wipe down applications
Rating	Stainless Steel: Nema 4X / IP69K
Remote Mounting	Display panel terminal can be mounted remotely (Up to 4,000ft / 1,200m)
Network Communications	Ethernet & WiFi via Contact Communications Software
Electrical	90-250v Single phase, 1amp, 50-60Hz



